

REMARKS

Claims in the case are 10-14. Claims 10-14 have been amended herein. No claims have been cancelled, and no claims have been added herein. Claims 1-9 and 15 were cancelled in previous amendments.

Claim 10 has been amended herein as to form and for purposes of improved clarity by including clearly recited process steps (a) and (b). Claims 11-14 have been amended as to form (e.g., by replacing "according to" with --of--), and to better correspond to present Claim 10.

Claims 10-14 stand rejected (as recited on page 2 of the Office Action of 25 October 2004) "under 35 U.S.C. 102(b) as being clearly anticipated by" F.C. Nava Alonso et al, *Tungsten Trioxide Reduction-Carburization with Carbon monoxide – Carbon Dioxide Mixtures: Kinetics and Thermodynamics*, INTERNATIONAL JOURNAL OF MINERAL PROCESSING, 20 (1987), pp 137-151 (**Alonso et al**) "in view of" Demande de Brevet D'Invention N° de publication 2 294 133 (**Felten et al**). This rejection is respectfully traversed in light of the following remarks.

The rejection appears to be improperly recited as an anticipation rejection arising under 35 U.S.C. § 102(b), when it more properly should be recited as an obviousness rejection arising under 35 U.S.C. § 103(a). To expedite prosecution of the present case, Applicants will address the rejection as if it were an obviousness rejection under 35 U.S.C. § 103(a). However, Applicants will also argue the cited references individually, in addition to the combination thereof.


Alonso et al disclose a method of preparing tungsten carbide by heating tungsten trioxide in the presence of (i) mixtures of CO and CO₂, and (ii) CO alone, at temperatures from 700°C to 1000°C (abstract). Alonso et al teach that "[t]he rate and extent of reaction of tungsten trioxide reduction-carburization decreases as the carbon dioxide content in the CO-CO₂ mixture increases" (page 150, item-3). In addition, Alonso et al teach that the most appropriate conditions for the reduction-carburization of tungsten trioxide involves the use of a gas consisting of 100% CO (page 150, item-1). As such, Alonso et al teaches away from the use of mixtures of CO and CO₂ in favor of CO alone for the carburization of tungsten trioxide.

Contrary to the assertions made on page 3 of the Office Action of 25 October 2004, Applicants respectfully submit that Alonso et al does not disclose or suggest Applicants' claimed range of carbon activity values of 0.4 to less than 1. It is argued on page 3 of the Office Action that Alonso et al discloses a broad range of carbon activity values ranging from 0.026 (61 wt% CO) to essentially infinity (100 wt% CO), based on the disclosure at page 145 of Alonso et al. Applicants disagree and respectfully submit that this argument represents a mischaracterization of Alonso et al. Alonso et al's disclosure of carbon activity values of essentially infinity is for a gas that consists of 100 wt% CO (i.e., a gas that is free of CO₂). Applicants' claimed method involves the use of a mixture of CO and CO₂. As such, Alonso et al's disclosure relating to a gas consisting of 100% CO, and any carbon activity values associated therewith or derived therefrom does not reasonably extend to or touch upon applicants' claimed process and carbon activity range of 0.4 to less than 1.

Alonso et al's highest disclosed carbon activity value for a mixture of CO and CO₂ is 0.077 (78 Wt% CO), which is 5.2 times smaller than the lower limit of Applicants' claimed carbon activity range of 0.4 to less than 1. As such, Alonso et al's disclosure is not deemed to reasonably extend to or touch upon Applicants' claimed method, which recites a carbon activity value range of 0.4 to less than 1. In light of this, Applicants respectfully submit that there is no need to submit additional data on either side of their claimed carbon activity range of 0.4 to less than 1 (contrary to the suggestion on page 3 of the Office Action).

Felton et al disclose a method of preparing tungsten carbide that involves treating finely divided tungsten trioxide with carbon monoxide (CO) at a temperature at which no agglomeration or sintering occurs (e.g., at temperatures of 600°C, 700°C and 800°C). See the abstract, and the examples at page 5-6 of Felton et al.

At page 1, line 23, Felton et al disclose the following formula.



This disclosure by Felton et al is limited to the formation of tungsten carbide from tungsten trioxide, and does not reasonable extend to or touch upon a post heat treatment of tungsten carbide after it is formed. The remarks on page 4 of the Office

Action regarding this disclosure by Felton et al representing a post heat treatment of tungsten carbide after it is formed, are deemed to represent an assumption on the part of the Examiner that is neither supported nor suggested by the disclosure of Felton et al. “[E]xaminer’s assumptions do not constitute the disclosure of prior art.” See *In re Rijckaert*, 9 F.3d 1531, 1533, 28 U.S.P.Q.2d 1955, 1956 (Fed. Cir. 1993) wherein the Court of Appeals, Federal Circuit stated:

“[i]n rejecting claims under 35 U.S.C. section 103, the examiner bears the initial burden of presenting a prima facie case of obviousness ... A prima facie case of obviousness is established when the teachings from the prior art itself would appear to have suggested the claimed subject matter to a person of ordinary skill in the art ... If the examiner fails to establish a prima facie case, the rejection is improper and will be overturned. *Id.* at 1532 (citations omitted). *Rijckaert* argues that the examiner has not established a prima facie case of obviousness and that the *examiner’s assumptions do not constitute the disclosure of prior art. Id.* at 1533 (emphasis added). We agree. *Id.*

Even if Alonso et al and Felton et al were combined, Applicants’ claimed method would not result from such combination. Alonso et al teach away from tungsten trioxide carburization methods that make use of mixtures of CO₂ and CO in favor of those that make use of CO alone. Alonso et al do not disclose, teach or suggest a range of carbon activity values that overlap or even come close to Applicants’ claimed range of 0.4 to less than 1. Alonso et al provide no disclosure or suggestion with regard to post treating tungsten carbide at an elevated temperature of 1150°C to 1800°C after the tungsten carbide is formed. Felton et al disclose the formation of tungsten carbide from tungsten trioxide by heating in the presence of CO alone. Felton et al provide no disclosure, teaching or suggestion with regard to performing their disclosed reaction with a mixture of CO and CO₂. Felton et al provide no disclosure, teaching or suggestion with regard to: carbon activity values of 0.4 to less than 1; or post treating tungsten carbide at an elevated temperature of 1150°C to 1800°C after the tungsten carbide is formed.

Alonso et al and Felton et al, either alone or in combination, do not disclose, teach or suggest a carburization method that includes: the use of a mixture of CO

and CO₂; the CO₂ being present in an amount above the Boudouard equilibrium content corresponding to the carburization temperature; a temperature of 850°C to 950°C; a carbon activity of from 0.4 to less than 1; and a post treatment step that involves heating the formed tungsten carbide to a temperature of 1150°C to 1800°C.

In light of the preceding remarks, Applicants respectfully submit that a *prima facie* case of obviousness has not been made relative to Alonso et al and Felten et al, either alone or in combination. “[T]he examiner bears the initial burden of presenting a *prima facie* case of obviousness. Only if that burden is met, does the burden of coming forward with evidence or argument shift to the applicants.” *In re Rijckaert*, 9 F.3d 1531, 1532 (Fed. Cir. 1993). As discussed previously herein, Applicants respectfully reiterate that there is no need to submit additional data, e.g., on either side of their claimed carbon activity range of 0.4 to less than 1 (contrary to the suggestion on page 3 of the Office Action) to further support the novelty and non-obviousness of their claimed process.


The rejection appears to impermissibly use Applicants’ application as a blueprint for selecting and combining or modifying the cited references to arrive at Applicants’ claimed invention, thereby making use of prohibited hindsight in the selection and application of the cited references. The use of hindsight reconstruction of an invention is an inappropriate process by which to determine patentability. *In re Rouffet*, 47 U.S.P.Q.2d 1453, 1457 (Fed. Cir. 1998). One cannot use hindsight reconstruction to pick and choose among isolated disclosures in the prior art to deprecate the claimed invention. *In re Fine*, 837 F.2d 1071, 1075 (Fed. Cir. 1988). Modifying “prior art references without evidence of such a suggestion, teaching or motivation simply takes the inventor’s disclosure as a blueprint for piecing together the prior art to defeat patentability -- the essence of hindsight.” *In re Dembiczak*, 175 F.3d 994, 999 (Fed. Cir. 1999). “The mere fact that the prior art may be modified in the manner suggested by the Examiner does not make the modification obvious unless the prior art suggested the desirability of the modification.” *In re Fritch*, 972 F.2d 1260, 1266 (Fed. Cir. 1992).

In light of the preceding remarks, Applicants’ claims are deemed to be unanticipated by, and unobvious and patentable over Alonso et al and Felten et al,

or Alonso et al in view of Felten et al. Reconsideration and withdrawal of the present rejection is respectfully requested.

In light of the amendments herein and the preceding remarks, Applicants' presently pending claims are deemed to define an invention that is unanticipated, unobvious and hence, patentable. Reconsideration of the rejections and allowance of all of the presently pending claims is respectfully requested.

Respectfully submitted,

By 
James R. Franks
Agent for Applicants
Reg. No. 42,552

Bayer MaterialScience LLC
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-3808
FACSIMILE PHONE NUMBER:
(412) 777-3902

jdg/franks/jrf048